

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier:**  REABILITA CAL CS

#### Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Mortar

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Details of the supplier of the safety data sheet:

Secil Martingança SA Rua do Mercado 2405-018 Maceira Leiria - Portugal Phone: +351244770220 - Fax: +351244777997 comercial.seciltek@secil.pt https://www.seciltek.com

1.4 Emergency telephone number: CIAV: 800 250 250

## SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Irrit. 2: Skin irritation, Category 2, H315

#### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Dange



#### Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

### Substances that contribute to the classification

Lime (chemical), hydraulic

#### 23 Other hazards:

Product fails to meet PBT/vPvB criteria

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Mixture of substances

Safety data sheet



# This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

## **REABILITA CAL CS**

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
		Lime (chemical), hyd	draulic <sup>(1)</sup> Self-classified				
CAS: 85117-09-5 EC: 285-561-1 Index: Non-applicable REACH: 01-211947552: 0005	Non-applicable 01-2119475523-36-	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	() ()	10 - <25 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## SECTION 4: FIRST AID MEASURES

#### Description of first aid measures: 4.1

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1 **Extinguishing media:**

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.



## SECTION 5: FIREFIGHTING MEASURES (continued)

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

#### For emergency responders:

See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °CMaximum time:24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

#### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Lime (chemical), hydraulic	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 85117-09-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 285-561-1	Inhalation	Non-applicable	4 mg/m³	Non-applicable	1 mg/m <sup>3</sup>

#### **DNEL (General population):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Lime (chemical), hydraulic	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 85117-09-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 285-561-1 Inhalation		Non-applicable	4 mg/m³	Non-applicable	1 mg/m <sup>3</sup>

#### PNEC:

Identification				
Lime (chemical), hydraulic	STP	3,511 mg/L	Fresh water	0,574 mg/L
CAS: 85117-09-5	Soil	1262,3 mg/kg	Marine water	0,374 mg/L
EC: 285-561-1	Intermittent	0,574 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks				
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.				
E	E Body protection								
	Pictogram	PPE	Labelling	CEN Standard	Remarks				
					Deplace before any ovidence of deterioration. For				

Work clothing	CATI	Replace before any evidence of deterioration. Fo periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
---------------	------	--

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation



## **REABILITA CAL CS**

	Pictogram	PPE		Labelling	CEN Standard		Remarks
		Anti-slip wo	ork shoes		EN ISO 20347:2012	perio recon	ace before any evidence of deterioration. F hds of prolonged exposure to the product f professional/industrial users CE III is nmended, in accordance with the regulatio 1 EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerge	ency measures	S				
	Emergency mea	asure	S	tandards	Emergency mea	asure	Standards
	Emergency sho			ISI Z358-1 011, ISO 3864-4:20	11 Eyewash stati	ons	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Env	/ironmental exp	osure contro	ols:				
spill		roduct and its			on of the environment i nformation see subsecti		mmended to avoid environmental
Witl	h regard to Directi	ive 2010/75/E	U, this pro	duct has the fol	lowing characteristics:		
	V.O.C. (Supply):		0 %	weight			
	V.O.C. density at	20 ºC:	0 kg,	/m³ (0 g/L)			
	Average carbon n	umber:	Non-	applicable			
	Average molecula	r weight:	Non-	applicable			
	ormation on bas			ical properties	8		
	complete informa						
			roduct dat	asheet.			
Арр	pearance:		oroduct dat	asheet.			
			product dat	asheet. Solid			
Phy	pearance:		product dat	Solid	available		
Phy	pearance: sical state at 20 % pearance:		oroduct dat	Solid Not a			
Phy: App	pearance: sical state at 20 % pearance: pour:		oroduct dat	Solid Not a Not a	available		
Phy: App Colc Odc	pearance: sical state at 20 % pearance: pour:		roduct dat	Solid Not a Not a Not a	available available		
Phy: App Colc Odc Odc	pearance: sical state at 20 % pearance: pur: pur:		roduct dat	Solid Not a Not a Not a	available available available		
Phy App Colc Odc Odc <b>Vol</b>	pearance: sical state at 20 % pearance: pur: pur: pur threshold:	C:		Solid Not a Not a Not a	available available available		
Phys App Cold Odd Odd Vol Boil	pearance: sical state at 20 % pearance: pur: pur: pur threshold: atility:	C: spheric pressu		Solid Not a Not a Non- Non-	available available available applicable *		
Phy: App Colc Odc Odc Vol Boil Vap	pearance: sical state at 20 % pearance: pur: pur: pur threshold: atility: ing point at atmos	C: spheric pressu 0 °C:		Solid Not a Not a Non- Non- Non-	available available available applicable * applicable *		
Phy App Colc Odc Odc <b>Vol</b> Boil Vap	pearance: sical state at 20 % pearance: pur: pur: pur threshold: atility: ing point at atmos pour pressure at 20	C: spheric pressu 0 °C: 0 °C:		Solid Not a Not a Non- Non- Non- Non-	available available available applicable * applicable * applicable *		
Phy App Colc Odc Odc Vol Boil Vap Vap Eva	pearance: sical state at 20 % pearance: pur: pur: pur threshold: atility: ing point at atmos pour pressure at 20 pour pressure at 20	C: spheric pressu 0 °C: 0 °C: 0 °C:		Solid Not a Not a Non- Non- Non- Non-	available available available applicable * applicable * applicable * applicable *		
Phy App Colc Odc Odc Vol Boil Vap Vap Eva Eva	pearance: sical state at 20 % pearance: pur: pur threshold: atility: ing point at atmos pour pressure at 20 pour pressure at 50 poration rate at 21	C: spheric pressu 0 °C: 0 °C: 0 °C:		Solid Not a Not a Non- Non- Non- Non- Non- Non-	available available available applicable * applicable * applicable * applicable *		
Phy: App Cold Odd Odd Vol. Boill Vap Vap Eva <b>Pro</b> Den	pearance: sical state at 20 % pearance: our: our: our threshold: atility: ing point at atmos pour pressure at 20 pour pressure at 20 poration rate at 20 poration rate at 20	C: spheric pressu 0 °C: 0 °C: 0 °C: <b>n:</b>		Solid Not a Not a Non- Non- Non- Non- Non- Non-	available available available applicable * applicable * applicable * applicable * applicable *		
Phy: App Colc Odc Odc Vol Boil Vap Vap Eva Eva Den Rela	pearance: sical state at 20 % pearance: pur: pur: pur threshold: atility: ing point at atmost pour pressure at 20 pour pressure at 50 poration rate at 20 poration rate at 20 potation rat	C: spheric pressu 0 °C: 0 °C: n: ) °C:		Solid Not a Not a Non- Non- Non- Non- Non- 2005 2,000	available available available applicable * applicable * applicable * applicable * applicable *		
Phy: App Cold Odd Odd Vol. Boill Vap Eva Eva Pro Den Rela	pearance: sical state at 20 % pearance: our: our threshold: atility: ing point at atmos pour pressure at 20 poration rate at 2	C: spheric pressu 0 °C: 0 °C: n: 0 °C: 20 °C:		Solid Not a Not a Non- Non- Non- Non- 2005 2,000 Non-	available available available applicable * applicable * applicable * applicable * applicable * applicable *		
Phy: App Cold Odc Odc Vol. Boil Vap Eva Den Rela Dyn Kine	pearance: sical state at 20 % pearance: our: our: our threshold: atility: ing point at atmost pour pressure at 20 poration rate at 20 poration rate at 20 poration rate at 20 potention rate at 20 pot	C: spheric pressu 0 °C: 0 °C: n: 0 °C: 20 °C: 20 °C:		Solid Not a Not a Non- Non- Non- Non- 2005 2,000 Non- Non-	available available available applicable * applicable * applicable * applicable * applicable * applicable *		
Phy App Cold Odd Odd Vol Boill Vap Vap Eva Den Rela Dyn Kine	pearance: sical state at 20 % pearance: our: our: our threshold: atility: ing point at atmost pour pressure at 20 poration rate at 20 poration rate at 20 poration rate at 20 potention rate at 20 pot	C: spheric pressu 0 °C: 0 °C: n: 0 °C: 20 °C: 20 °C:		Solid Not a Not a Non- Non- Non- Non- Non- 2005 2,000 Non- Non- Non- Non-	available available available applicable * applicable * applicable * applicable * applicable * applicable * applicable *		
Phy App Cold Odd Odd Vol Boill Vap Vap Eva Den Rela Dyn Kine	pearance: sical state at 20 % pearance: our: our: our threshold: <b>atility:</b> ing point at atmost pour pressure at 20 pour pressure at 20 poration rate at 20 poration rate at 20 <b>oduct description</b> nsity at 20 °C: ative density at 20 mamic viscosity at 20 mamic visc	C: spheric pressu 0 °C: 0 °C: n: 0 °C: 20 °C: 20 °C:		Solid Not a Not a Non- Non- Non- Non- 2005 2,000 Non- Non- Non- Non- Non- Non-	available available available applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable *		
Phys App Cold Odd Odd Vol Boil Vap Eva Den Rela Dyn Kine Kine Con	pearance: sical state at 20 % pearance: our: our: our threshold: <b>atility:</b> ing point at atmost pour pressure at 20 pour pressure at 20 poration rate at 20 poration rate at 20 <b>oduct description</b> nsity at 20 °C: ative density at 20 mamic viscosity at 20 mamic visc	C: spheric pressu 0 °C: 0 °C: 0 °C: 10 °C: 20 °C: 20 °C: 20 °C: 20 °C: 20 °C:		Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available available available applicable * applicable *		
Phy: App Cold Odd Odd Vol Boil Vap Eva Pro Den Rela Dyn Kine Kine Con pH: Vap	pearance: sical state at 20 % pearance: our: our threshold: atility: ing point at atmos pour pressure at 20 poration rate at 20 poration rate at 20 poration rate at 20 poration rate at 20 porative density at 20 ative density at 20 mamic viscosity at ematic viscosity at ematic viscosity at centration:	C: spheric pressu 0 °C: 0 °C: 20 °C: 20 °C: 20 °C: 20 °C: 20 °C:	ıre:	Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available available available applicable * applicable *		



SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)				
	Solubility properties:	Non-applicable *				
	Decomposition temperature:	Non-applicable *				
	Melting point/freezing point:	Non-applicable *				
	Flammability:					
	Flash Point:	Non-applicable				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	Non-applicable *				
	Lower flammability limit:	Non-applicable *				
	Upper flammability limit:	Non-applicable *				
	Explosive (Solid):					
	Lower explosive limit:	Non-applicable *				
	Upper explosive limit:	Non-applicable *				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable *				
9.2	Other information:					
	Information with regard to physical hazard classes:					
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Corrosive to metals:	Non-applicable *				
	Heat of combustion:	Non-applicable *				
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *				
	Other safety characteristics:					
	Surface tension at 20 °C:	Non-applicable *				
	Refraction index:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.				

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

SECIL TEK

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.



## SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Not available



## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

#### Acute toxicity:

Identification	Concentration		Species	Genus
Lime (chemical), hydraulic	LC50	457 mg/L (96 h)	N/A	Fish
CAS: 85117-09-5	EC50	Non-applicable		
EC: 285-561-1	EC50	Non-applicable		

#### Chronic toxicity:

Identification	Concentration		Species	Genus
Lime (chemical), hydraulic	NOEC	Non-applicable		
CAS: 85117-09-5 EC: 285-561-1	NOEC	32 mg/L	Crangon septemspinosa	Crustacean

#### 12.2 Persistence and degradability:

Not available

#### 12.3 Bioaccumulative potential:

Not available

## **12.4** Mobility in soil:

Not available

**12.5** Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

#### 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1** Waste treatment methods:

ĺ	Code	Description	Waste class (Regulation (EU) No 1357/2014)
	17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

## SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable



## SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### **Other legislation:**

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H318: Causes serious eye damage.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

## **Classification procedure:**

Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method

### Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:



## SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.