

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: REABILITA RS 34

Other means of identification:

UFI: V380-W0P2-P008-0XFN

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Mortar. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

IRP - Industria de Rebocos de Portugal, S.A.

Zona Industrial de Rio Maior

2040-113 Rio Maior Santarém - Portugal

Phone: +351243909800 - Fax: +351243909809

comercial.seciltek@secil.pt https://www.secil.pt

1.4 Emergency telephone number: CIAV: 800 250 250

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

This product contains less than 1% of crystalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318

Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger





Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Substances that contribute to the classification

Cement, portland, chemicals (CAS: 65997-15-1); Calcium dihydroxide (CAS: 1305-62-0)

UFI: V380-W0P2-P008-0XFN

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) **Page 1/12**

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	14808-60-7	Quartz (RCS < 1 %) ⁽¹⁾ Not classifie		
EC: Index: REACH:	238-878-4 Non-applicable Non-applicable	Regulation 1272/2008		50 - <75 %
CAS: 65997-15-1		Cement, portland, ch	portland, chemicals ⁽²⁾ Self-classified	
EC: Index: REACH:	266-043-4 Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1B: H317; STOT SE 3: H335 - Danger	25 - <50 %
CAS:	1305-62-0	Calcium dihydroxide	(2) Self-classified	
Index:	EC: 215-137-3 Index: Non-applicable REACH: 01-2119475151-45- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	1 - <2,5 %

⁽¹⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 2/12

⁽²⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 5: FIREFIGHTING MEASURES (continued)

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Use in ventilated areas. Avoid the build up of dust

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C Maximum Temp.: 30 °C

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) **Page 3/12**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 7: HANDLING AND STORAGE (continued)

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Humidity: Avoid direct impact

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
Quartz (RCS < 1 %)	IOELV (8h)		0,1 mg/m ³
CAS: 14808-60-7	IOELV (STEL)		
Calcium dihydroxide	IOELV (8h)		1 mg/m³
CAS: 1305-62-0 EC: 215-137-3	IOELV (STEL)		4 mg/m ³

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Calcium dihydroxide	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1305-62-0	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 215-137-3	Inhalation	Not relevant	4 mg/m³	Not relevant	1 mg/m³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Calcium dihydroxide	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1305-62-0	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 215-137-3	Inhalation	Not relevant	4 mg/m³	Not relevant	1 mg/m³

PNEC:

Identification				
Calcium dihydroxide	STP	3 mg/L	Fresh water	0,49 mg/L
CAS: 1305-62-0	Soil	1080 mg/kg	Marine water	0,32 mg/L
EC: 215-137-3	Intermittent	0,49 mg/L	Sediment (Fresh water)	Not relevant
	Oral	Not relevant	Sediment (Marine water)	Not relevant

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract	Filter mask for gases, vapours and particles	CAT III	EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.15 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
•	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	*	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):

V.O.C. density at 20 °C:

Average carbon number:

Average molecular weight:

0 % weight

0 kg/m³ (0 g/L)

Not relevant

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 5/12



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

For complete information see the product datasheet. Appearance: Physical state at 20 °C: Appearance: Colour: Odour: Odour: Odour threshold: Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Not relevant * Product description: Density at 20 °C: Not relevant * Not relevant * Product description: Density at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Concentration: Ph: Vapour density at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Not relevant * Kinematic viscosity at 40 °C: Not relevant *
Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Not relevant * Vapour pressure at 50 °C: Evaporation rate at 20 °C: Not relevant * Product description: Density at 20 °C: Density at 20 °C: Not relevant * Relative density at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Solubility in water at 20 °C: Not relevant *
Appearance: Colour: Odour: Odour threshold: Not relevant * Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Not relevant * Product description: Density at 20 °C: Relative density at 20 °C: Not relevant * Not relevant * Product description: Density at 20 °C: Relative density at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Not relevant * Product description: Density at 20 °C: Not relevant *
Colour: Odour: Odour threshold: Not relevant * Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Vapour pressure at 20 °C: Vapour density at 20 °C: Vapou
Odour: Odour threshold: Not relevant * Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Not relevant * Product description: Density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Concentration: PH: Vapour density at 20 °C: Not relevant * Vapour density at 20 °C: Not relevant * Varievant * Vapour density at 20 °C: Not relevant * Not relevant * Not relevant * Not relevant *
Odour threshold: Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Not relevant * Product description: Density at 20 °C: Pelative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Vapour density at 20 °C: Not relevant *
Volatility: Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Vapour density at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Vapour density at 20 °C: Not relevant *
Boiling point at atmospheric pressure: Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Vapour density at 20 °C: Not relevant * PH: Vapour density at 20 °C: Not relevant *
Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Not relevant * Not relevant * 1250 kg/m³ Relative density at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Kinematic viscosity at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Concentration: PH: Vapour density at 20 °C: Not relevant *
Vapour pressure at 50 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Not relevant * Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant *
Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Concentration: PH: Vapour density at 20 °C: Not relevant *
Product description: Density at 20 °C: 1250 kg/m³ Relative density at 20 °C: 1,25 Dynamic viscosity at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: >10 Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant *
Density at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Kinematic viscosity at 40 °C: Not relevant * Concentration: PH: Vapour density at 20 °C: Not relevant *
Relative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Concentration: PH: Vapour density at 20 °C: Not relevant * Not relevant * >10 Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant *
Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Not relevant * Not relevant * Concentration: PH: Vapour density at 20 °C: Not relevant *
Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C: Not relevant * Not relevant * Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant *
Kinematic viscosity at 40 °C: Concentration: PH: Vapour density at 20 °C: Partition coefficient n-octanol/water 20 °C: Solubility in water at 20 °C: Not relevant * Not relevant * Not relevant * Not relevant *
Concentration: pH: >10 Vapour density at 20 °C: Partition coefficient n-octanol/water 20 °C: Solubility in water at 20 °C: Not relevant * Not relevant *
pH: >10 Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant *
Vapour density at 20 °C: Partition coefficient n-octanol/water 20 °C: Solubility in water at 20 °C: Not relevant * Not relevant *
Partition coefficient n-octanol/water 20 °C: Solubility in water at 20 °C: Not relevant * Not relevant *
Solubility in water at 20 °C: Not relevant *
,
Solubility properties: Not relevant *
Decomposition temperature: Not relevant *
Melting point/freezing point: Not relevant *
Flammability:
Flash Point: Non-applicable
Flammability (solid, gas): Not relevant *
Autoignition temperature: Not relevant *
Lower flammability limit: Not relevant *
Upper flammability limit: Not relevant *
Explosive (Solid):
Lower explosive limit: Not relevant *
Upper explosive limit: Not relevant *
Particle characteristics:
Median equivalent diameter: Not relevant *
9.2 Other information:
Information with regard to physical hazard classes:
Explosive properties: Not relevant *
Oxidising properties: Not relevant *
Corrosive to metals: Not relevant *
Heat of combustion: Not relevant *
Aerosols-total percentage (by mass) of flammable Not relevant * components: *Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 6/12



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Not relevant *

Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Avoid direct impact	Not applicable	Not applicable	Avoid direct impact

10.5 Incompatible materials:

Acids	Water	Oxidising materials Combustible materials		Others	
Can react violently	Avoid direct impact	Not applicable	Not applicable	Base metal salts (Al, NH4,)	

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- CONTINUED ON NEXT PAGE
Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 7/12



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Poly(vinyl alcohol) (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Calcium dihydroxide	LD50 oral	7340 mg/kg	Rat
CAS: 1305-62-0	LD50 dermal		
EC: 215-137-3	LC50 inhalation		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Calcium dihydroxide	LC50	50,6 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1305-62-0		49,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 215-137-3	EC50	184,57 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Calcium dihydroxide		Not relevant		
CAS: 1305-62-0 EC: 215-137-3	NOEC	32 mg/L	Crangon septemspinosa	Crustacean

12.2 Persistence and degradability:

Not available

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) **Page 8/12**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	Hazardous	

Product - Cement that has exceeded its shelf life: 10 13 99

Product - Unused residue or dry spillage: 10 13 06

Product - after addition of water, hardened: 10 13 14, 17 01 01

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

14.1 UN number or ID number: Not relevant
 14.2 UN proper shipping name: Not relevant
 14.3 Transport hazard class(es): Not relevant Labels: Not relevant
 14.4 Packing group: Not relevant
 14.5 Environmental hazards: No

14.6 Special precautions for user

Special regulations:

Tunnel restriction code:
Physico-Chemical properties:
Limited quantities:
Not relevant
Not relevant
Not relevant
Not relevant
Not relevant

according to IMO

instruments:

NOL TELEVALI

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 9/12



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number or ID number: Not relevant 14.2 UN proper shipping name: Not relevant 14.3 Transport hazard class(es): Not relevant Labels: Not relevant 14.4 Packing group: Not relevant

14.5 Marine pollutant: Nο

14.6 Special precautions for user

Special regulations: Not relevant

EmS Codes:

Physico-Chemical properties: see section 9 Limited quantities: Not relevant Not relevant Segregation group: Not relevant

14.7 Maritime transport in bulk according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

14.1 UN number or ID number: Not relevant **14.2** UN proper shipping name: Not relevant 14.3 Transport hazard class(es): Not relevant Labels: Not relevant 14.4 Packing group: Not relevant 14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties:

see section 9 14.7 Maritime transport in bulk Not relevant

according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Calcium dihydroxide (1305-62-0) PT: (2,3)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

- 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
- 2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

Specific provisions in terms of protecting people or the environment:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Hazard statements
- · Precautionary statements

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H335: May cause respiratory irritation.
- H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method STOT SE 3: Calculation method Skin Sens. 1B: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

- CONTINUED ON NEXT PAGE -

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) **Page 11/12**

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

REABILITA RS 34

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 13/03/2019 Revised: 19/08/2025 Version: 03014.07 (Replaced 03014.06) Page 12/12