

# ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025 and EN 15804+A2 

**Secil Betão, S.A. - Queluz**  
**UniPiso® C25/30**



**Owner of the declaration**

Secil Betão, S.A. - Queluz  
Estrada do Cemitério  
2745 Queluz  
Portugal

**Product**

UniPiso® C25/30

**Declared product / Declared unit**

1 m<sup>3</sup>

**This declaration is based on Product  
Category Rules**

EN 15804:2012 + A2:2019,  
NPCR 020 PART B for concrete and  
concrete elements (v3.0)

**Program operator:**

EPD Norway  
Majorstuen P.O. Box 5250  
N-0303 Oslo  
Norway

**Declaration number**

NEPD-10237-10237-2

**Registration number**

NEPD-10237-10237-2

**Issue date**

27.08.2025

**Valid to**

26.08.2030

**EPD Software**

Emidat EPD Tool v1.0.0

## General Information

### Product

UniPiso® C25/30

### Program Operator

EPD Norway  
Majorstuen P.O. Box 5250  
N-0303 Oslo  
Norway  
Phone: +47 23 08 80 00  
Email: post@epd-norge.no

### Declaration Number

NEPD-10237-10237-2

### This declaration is based on Product Category Rules

EN 15804:2012 + A2:2019,  
NPCR 020 PART B for concrete and concrete elements  
(v3.0)

### Statements

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer, life cycle assessment data and evidences.

### Declared unit

1 m<sup>3</sup>

### General information on verification of EPD from EPD tools

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Verification of each EPD is made according to EPD Norway's guidelines for verification and approval requiring that tools are i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPD-Norway, and iii) the process is reviewed annually by an independent third party verifier. See Appendix G of EPD-Norway's General Programme Instructions for further information on EPD tools.

### Verification of EPD tool

Charlotte Merlin, FORCE Technology  
(no signature required)

### Owner of the declaration

Secil Betão, S.A. - Queluz

### Contact person

daniela.faisca@secil.pt

### Phone

+351217927100

### Email

daniela.faisca@secil.pt

### Manufacturer

Secil Betão, S.A. - Queluz  
Estrada do Cemitério  
2745 Queluz, Portugal

### Place of production

Queluz, Portugal

### Management system

ISO 9001

### Organisation no

23630

### Issue date

27.08.2025

### Valid to

26.08.2030

### Year of study

2024

### Comparability

EPDs of construction products may not be comparable if they do not comply with EN 15804 and are not seen in a building context. EPD data may not be comparable if the datasets used are not developed in accordance with EN 15804 and if the background systems are not based on the same database (including primary and secondary data).

### Development and verification of EPD

The declaration was created using the Emidat EPD tool v1.0, developed by Emidat GmbH. The EPD tool has been approved by EPD Norway.

Developer of EPD: Daniela Faisca

Reviewer of company-specific input data and EPD: Raquel Sofia Venâncio Madeira do Nascimento Paulo

### Approved



Håkon Hauan, CEO EPD-Norge

## Product

### Product description

UNIPISO® is a ready-mix concrete designed for flooring applications, providing a smooth and uniform surface, suitable for either glossy or matte finishes. It is a durable and versatile solution, ideal for use in both indoor and outdoor floors.

Advantages:

High resistance to abrasion and impact

Excellent mechanical strength and durability

Low maintenance requirements

Effective surface levelling

Cost-effective solution

Quick and easy application

Suitable for pumping



UNIPISO® is suitable for high-performance flooring designed for pedestrian circulation as well as light or heavy vehicular traffic, depending on the specified solution and the compaction of the base layer.

It can also be applied in:

Indoor and outdoor floors

Industrial, commercial and warehouse flooring

Heavy and light vehicle parking areas

Fuel stations and public transport networks

Common areas in residential developments, garage access and ramps

### Product specification

| Name of ingredient | Share of total weight | Country of origin |
|--------------------|-----------------------|-------------------|
| Admixtures         | 0 - 2 %               | Portugal          |
| Aggregates         | 80 - 100 %            | Portugal          |
| Cement             | 10 - 25 %             | Portugal          |
| Water              | 2 - 10 %              | Portugal          |

### Technical data

|                                 | Unit                | Value  |
|---------------------------------|---------------------|--------|
| Gross Density                   | kg / m <sup>3</sup> | 2376.4 |
| Compressive Strength (Cylinder) | N / mm <sup>2</sup> | 31.2   |
| Compressive Strength (Cube)     | N / mm <sup>2</sup> | 39.0   |

### Market

Portugal

## LCA: Calculation rules


### Declared unit

1 m<sup>3</sup>

### Reference service life

100 years

### System boundary



### Data quality

The foreground data are based on extensive and detailed data collection at the production site of the manufacturer, covering key processes such as raw material sourcing, formulation, and manufacturing. These foreground data are fully linked with corresponding datasets from the background database (ecoinvent 3.10) or with EN15804+A2-compliant EPDs, ensuring consistency, reliability, and maintaining alignment with the latest industry standards.

The overall data representativeness is rated as good with an overall score of 4.02/5, in accordance with EN 15804+A2 Annex E guidance on data quality assessment, considering geographical, technical, and temporal representativeness.

## System boundaries (X=included, MND=module not declared)

|                  | Production          |           |               | Installation |                      | Use stage |             |        |             |               |                        |                       | End-of-Life |           |                  |          | Next product system                           |
|------------------|---------------------|-----------|---------------|--------------|----------------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|-------------|-----------|------------------|----------|-----------------------------------------------|
|                  | Raw material supply | Transport | Manufacturing | Transport    | Installation Process | Use       | Maintenance | Repair | Replacement | Refurbishment | Operational Energy Use | Operational Water Use | Demolition  | Transport | Waste Processing | Disposal | Benefits and loads beyond the system boundary |
| Module           | A1                  | A2        | A3            | A4           | A5                   | B1        | B2          | B3     | B4          | B5            | B6                     | B7                    | C1          | C2        | C3               | C4       | D                                             |
| Modules declared | x                   | x         | x             | x            | x                    | x         | MND         | MND    | MND         | MND           | MND                    | MND                   | x           | x         | x                | x        | x                                             |
| Geography        |                     |           | PT            | PT           | PT                   | PT        | MND         | MND    | MND         | MND           | MND                    | MND                   | PT          | PT        | PT               | PT       | PT                                            |

For the geographies modeled in A1 and A2, refer to *Product specification*.

Type of EPD: Cradle to gate with options A4, A5, B1, C1, C2, C3, C4 and D

### Stage of Material Production and Construction

Module A1: Extraction and processing of raw materials

Module A2: Transportation of raw materials to the plant

Module A3: Concrete production at the plant and waste treatment

Module A4: Transportation to the construction site

Module A5: Includes processes associated with concrete installation (e.g., pumping on the construction site), as well as the production, transportation, and treatment of unused concrete

### Use Stage

Module B1: Carbonation during the utilization phase

### Disposal Stage

Module C1: Demolition/Dismantling

Module C2: Transportation of concrete demolition waste for processing

Module C3: Sorting of waste components and recycling of concrete

Module C4: Disposal of concrete

### Credits and burdens outside the system boundaries

Module D: Credits and burdens from the use of demolished concrete as a replacement for primary materials

## Cut-off criteria

Environmental impacts of the following processes are considered to be negligible: Production and use of formwork and falsework for the installation of concrete, Materials used for the curing of concrete (e.g. plastics, aluminum) .

## Allocation

Elementary flows (energy and fuels, ancillary materials and waste) data was collected on production-process-level. Using the total output of the production process in 2024, elementary flows are assigned to 1 declared unit based on volume.

## LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

| Transport to the building site (A4)   | Value                                           | Unit                |
|---------------------------------------|-------------------------------------------------|---------------------|
| Transported mass                      | 2376.40                                         | kg                  |
| Gross density of products transported | 2376.40                                         | kg / m <sup>3</sup> |
| Truck: Distance                       | 100.00                                          | km                  |
| Truck: Energy demand                  | 1.58                                            | MJ / t*km           |
| Truck: Activity                       | transport, freight, lorry >32 metric ton, EURO6 | -                   |
| Truck: Capacity utilization           | 53.30                                           | %                   |

| Installation into the building (A5)                           | Value | Unit           |
|---------------------------------------------------------------|-------|----------------|
| Installation loss                                             | 1.50  | %              |
| Formwork                                                      | -     | kg             |
| Falsework                                                     | -     | kg             |
| Distance to waste landfill facility (for installation losses) | 50.00 | km             |
| Amount of electricity to pour 1 m <sup>3</sup> of concrete    | 3.00  | kWh            |
| Amount of diesel to pour 1 m <sup>3</sup> of concrete         | 60.00 | MJ             |
| Water                                                         | 0.29  | m <sup>3</sup> |
| Wastewater treatment                                          | 0.29  | m <sup>3</sup> |

Formwork and Falsework each contribute less than 1% of the total product CO<sub>2</sub> emissions, and are therefore neglected under cut-off rules. (Kaethner, Burrige, 2012). Other sources: Concrete waste: Adams & Hobbs (2023). Electricity, Diesel: Ecoinvent benchmark average.

| Use of the installed product (B1) | Value                                  | Unit                           |
|-----------------------------------|----------------------------------------|--------------------------------|
| Reference use period              | 100.00                                 | years                          |
| Application                       | Engineerings structures, in the ground |                                |
| Degree of carbonation (Dc)        | 0.85                                   | -                              |
| Cement absorption factor          | 0.34                                   | kg CO <sub>2</sub> / kg Cement |
| k-factor                          | 0.80                                   | mm / √year                     |
| Correction factor                 | 1.00                                   | -                              |
| Surface area of concrete          | 5.00                                   | m <sup>2</sup>                 |

Calculation of carbonization according to EN 16757. k-factor results from the concrete's compressive strength and its application. The cement absorption factor (maximum theoretical CO<sub>2</sub> uptake) depends on the average clinker content in cement. The correction factor results from cement substitutes in the recipe.

| Demolition (C1)           | Value | Unit |
|---------------------------|-------|------|
| Diesel for deconstruction | -     | kg   |

The product remains in the ground at its end-of-life.

## LCA: Results

### Core environmental impact indicators

| Indicator      | Unit                             | A1-3     | A4       | A5       | B1        | C1 | C2 | C3 | C4 | D |
|----------------|----------------------------------|----------|----------|----------|-----------|----|----|----|----|---|
| GWP-total      | kg CO <sub>2</sub> -eq.          | 2.27e+02 | 2.46e+01 | 1.13e+01 | -3.41e+00 | 0  | 0  | 0  | 0  | 0 |
| GWP-fossil     | kg CO <sub>2</sub> -eq.          | 2.27e+02 | 2.46e+01 | 1.11e+01 | -3.41e+00 | 0  | 0  | 0  | 0  | 0 |
| GWP-biogenic   | kg CO <sub>2</sub> -eq.          | 1.33e-01 | 1.23e-02 | 1.30e-01 | 0         | 0  | 0  | 0  | 0  | 0 |
| GWP-luluc      | kg CO <sub>2</sub> -eq.          | 6.96e-02 | 8.74e-03 | 1.82e-02 | 0         | 0  | 0  | 0  | 0  | 0 |
| ODP            | kg CFC-11-Eq                     | 5.05e-06 | 5.13e-07 | 2.05e-07 | 0         | 0  | 0  | 0  | 0  | 0 |
| AP             | mol H <sup>+</sup> -Eq           | 6.62e-01 | 5.81e-02 | 7.17e-02 | 0         | 0  | 0  | 0  | 0  | 0 |
| EP-freshwater  | kg P-Eq                          | 1.06e-02 | 1.73e-03 | 9.33e-04 | 0         | 0  | 0  | 0  | 0  | 0 |
| EP-marine      | kg N-Eq                          | 6.13e-02 | 1.52e-02 | 3.29e-02 | 0         | 0  | 0  | 0  | 0  | 0 |
| EP-terrestrial | mol N-Eq                         | 2.33e+00 | 1.65e-01 | 3.30e-01 | 0         | 0  | 0  | 0  | 0  | 0 |
| POCP           | kg NMVOC-Eq                      | 6.08e-01 | 1.01e-01 | 9.90e-02 | 0         | 0  | 0  | 0  | 0  | 0 |
| ADPE           | kg Sb-Eq                         | 1.80e-04 | 7.03e-05 | 9.81e-06 | 0         | 0  | 0  | 0  | 0  | 0 |
| ADPF           | MJ, net calorific value          | 1.26e+03 | 3.69e+02 | 1.27e+02 | 0         | 0  | 0  | 0  | 0  | 0 |
| WDP            | m <sup>3</sup> world Eq deprived | 1.52e+01 | 1.86e+00 | 1.02e+00 | 0         | 0  | 0  | 0  | 0  | 0 |

**GWP-total:** Global Warming Potential - total **GWP-fossil:** Global warming potential - fossil **GWP-biogenic:** Global Warming Potential - biogenic **GWP-luluc:** Global Warming Potential - luluc **ODP:** Depletion potential of the stratospheric ozone layer **AP:** Acidification potential, Accumulated Exceedance **EP-freshwater:** Eutrophication potential - freshwater **EP-marine:** Eutrophication potential - marine **EP-terrestrial:** Eutrophication potential - terrestrial **POCP:** Photochemical Ozone Creation Potential **ADPE:** Abiotic depletion potential - non-fossil resources **ADPF:** Abiotic depletion potential - fossil resources **WDP:** Water (user) deprivation potential

### Additional indicators

| Indicator | Unit              | A1-3     | A4       | A5       | B1 | C1 | C2 | C3 | C4 | D |
|-----------|-------------------|----------|----------|----------|----|----|----|----|----|---|
| PM        | disease incidence | 1.41e-05 | 2.40e-06 | 1.87e-06 | 0  | 0  | 0  | 0  | 0  | 0 |
| IRP       | kBq U235-Eq       | 2.67e+03 | 4.49e-01 | 4.03e+01 | 0  | 0  | 0  | 0  | 0  | 0 |
| ETP-fw    | CTUe              | 2.65e+02 | 8.75e+01 | 3.40e+01 | 0  | 0  | 0  | 0  | 0  | 0 |
| HTP-c     | CTUh              | 1.31e-06 | 1.58e-07 | 5.37e-08 | 0  | 0  | 0  | 0  | 0  | 0 |
| HTP-nc    | CTUh              | 1.41e-05 | 2.44e-07 | 2.59e-07 | 0  | 0  | 0  | 0  | 0  | 0 |
| SQP       | dimensionless     | 8.58e+02 | 3.72e+02 | 4.28e+01 | 0  | 0  | 0  | 0  | 0  | 0 |

**PM:** Potential incidence of disease due to PM emissions **IRP:** Potential Human exposure efficiency relative to U235 **ETP-fw:** Potential Comparative Toxic Unit for ecosystems **HTP-c:** Potential Comparative Toxic Unit for humans - cancer effects **HTP-nc:** Potential Comparative Toxic Unit for humans - non-cancer effects **SQP:** Potential Soil quality index

**IRP:** This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

**ETP-fw, HTP-c, HTP-nc and SQP:** The results of these environmental impact indicators shall be used with care as the uncertainties on these results are high or as there is limited experienced with these indicators.

## Use of resources

| Indicator | Unit | A1-3     | A4       | A5       | B1 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----|----|----|----|----|---|
| PERE      | MJ   | 1.02e+02 | 5.86e+00 | 1.10e+01 | 0  | 0  | 0  | 0  | 0  | 0 |
| PERM      | MJ   | 0        | 0        | 0        | 0  | 0  | 0  | 0  | 0  | 0 |
| PERT      | MJ   | 1.02e+02 | 5.86e+00 | 1.10e+01 | 0  | 0  | 0  | 0  | 0  | 0 |
| PENRE     | MJ   | 1.19e+03 | 3.69e+02 | 1.26e+02 | 0  | 0  | 0  | 0  | 0  | 0 |
| PENRM     | MJ   | 2.19e+01 | 0        | 3.29e-01 | 0  | 0  | 0  | 0  | 0  | 0 |
| PENRT     | MJ   | 1.21e+03 | 3.69e+02 | 1.26e+02 | 0  | 0  | 0  | 0  | 0  | 0 |
| SM        | kg   | 1.51e+02 | 0        | 2.27e+00 | 0  | 0  | 0  | 0  | 0  | 0 |
| RSF       | MJ   | 1.37e+02 | 0        | 2.06e+00 | 0  | 0  | 0  | 0  | 0  | 0 |
| NRSF      | MJ   | 1.83e+02 | 0        | 2.75e+00 | 0  | 0  | 0  | 0  | 0  | 0 |
| FW        | m³   | 1.43e+00 | 5.37e-02 | 4.62e-02 | 0  | 0  | 0  | 0  | 0  | 0 |

**PERE:** Primary energy resources - renewable: use as energy carrier **PERM:** Primary energy resources - renewable: used as raw materials **PERT:** Primary energy resources - renewable: total **PENRE:** Primary energy resources - non-renewable: use as energy carrier **PENRM:** Primary energy resources - non-renewable: used as raw materials **PENRT:** Primary energy resources - non-renewable: total **SM:** Use of secondary material **RSF:** Renewable secondary fuels **NRSF:** Non-renewable secondary fuels **FW:** Net use of fresh water

## Waste flows

| Indicator | Unit | A1-3     | A4       | A5       | B1 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----------|----------|----|----|----|----|----|---|
| HWD       | kg   | 2.90e+00 | 5.37e-01 | 2.01e-01 | 0  | 0  | 0  | 0  | 0  | 0 |
| NHWD      | kg   | 9.23e+01 | 1.08e+01 | 3.31e+02 | 0  | 0  | 0  | 0  | 0  | 0 |
| RWD       | kg   | 4.60e-04 | 1.11e-04 | 6.25e-05 | 0  | 0  | 0  | 0  | 0  | 0 |

**HWD:** Hazardous waste disposed **NHWD:** Non hazardous waste disposed **RWD:** Radioactive waste disposed

## Output flows

| Indicator | Unit | A1-3     | A4 | A5       | B1 | C1 | C2 | C3 | C4 | D |
|-----------|------|----------|----|----------|----|----|----|----|----|---|
| CRU       | kg   | 0        | 0  | 0        | 0  | 0  | 0  | 0  | 0  | 0 |
| MFR       | kg   | 8.94e+01 | 0  | 1.34e+00 | 0  | 0  | 0  | 0  | 0  | 0 |
| MER       | kg   | 0        | 0  | 0        | 0  | 0  | 0  | 0  | 0  | 0 |
| EEE       | MJ   | 0        | 0  | 0        | 0  | 0  | 0  | 0  | 0  | 0 |
| EET       | MJ   | 0        | 0  | 0        | 0  | 0  | 0  | 0  | 0  | 0 |

**CRU:** Components for re-use **MFR:** Materials for recycling **MER:** Materials for energy recovery **EEE:** Exported electrical energy **EET:** Exported thermal energy

| Name                                              | Value | Unit |
|---------------------------------------------------|-------|------|
| Biogenic carbon content in product                | 0     | kg C |
| Biogenic carbon content in accompanying packaging | 0     | kg C |



## Additional requirements

### Greenhouse gas emissions from the use of electricity in the manufacturing phase

Electricity consumption in the manufacturing phase is composed from the source below. Electricity is represented by data in ecoinvent 3.10 regionalised for Portugal.

| Electricity           | Unit                          | Value |
|-----------------------|-------------------------------|-------|
| Electricity from grid | kg CO <sub>2</sub> -eq. / kWh | 0.60  |

### Dangerous substances

The product contains no hazardous substances given by the REACH Candidate List or the Norwegian Priority List.

## Additional environmental information

### Additional environmental impact indicators required in NPCR Part A for construction products

| Indicator | Unit                    | A1-3 | A4       | A5 | B1        | C1 | C2 | C3 | C4 | D |
|-----------|-------------------------|------|----------|----|-----------|----|----|----|----|---|
| GWP-IOBC  | kg CO <sub>2</sub> -eq. | ND   | 2.46e+01 | ND | -3.41e+00 | 0  | 0  | 0  | 0  | 0 |

**GWP-IOBC:** Global Warming Potential - Instantaneous oxidation of biogenic carbon

## Bibliography

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DIN EN ISO 14025:2011-10               | Environmental labels and declarations - Type III environmental declarations - Principles and procedures                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| DIN EN ISO 14040:2021-02               | Environmental management - Life cycle assessment - Principles and framework                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| DIN EN ISO 14044:2021-02               | Environmental management - Life cycle assessment - Requirements and guidelines                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| EN 15804:2012+A2:2019                  | Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| DIN CENTR 15941:2010-11                | Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DIN EN 15942:2022-04                   | Sustainability of construction works - Environmental product declarations - Communication format business-to-business                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| ISO 21930:2017-07                      | Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products and services                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ecoinvent v3.10                        | ecoinvent, Zurich, Switzerland, database version 3.10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| PCR                                    | NPCR 020 PART B for concrete and concrete elements (v3.0)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| EN 16757                               | Sustainability of construction works - Environmental product declarations - Product Category Rules for concrete and concrete elements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Kaethner, S. C. & Burrridge, J. A.     | Embodied CO2 of structural frames. The Structural Engineer (2012)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Adams, K. & Hobbs, G.                  | Final Report: Wastage Rates for Blocks and Ready-Mix Concrete. Reusefully Ltd for MPA (2023): <a href="https://www.aircrete.co.uk/Sustainability-Environmental/Wastage-Rates.aspx">https://www.aircrete.co.uk/Sustainability-Environmental/Wastage-Rates.aspx</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Dos Santos Gervasio, H. and Dimova, S. | Environmental benchmarks for buildings , EUR 29145 EN, Publications Office of the European Union, 2018, ISBN 978-92-79-80969-9 (print), 978-92-79-80970-5 (pdf), doi:10.2760/073513 (online), 10.2760/90028 (print), JRC110085.<br><br>Basic principles and recommendations for describing the dismantling, post use, and disposal stage of construction products: <a href="https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-06_texte_130-2020_guidance-document-construction-industry.pdf">https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-06_texte_130-2020_guidance-document-construction-industry.pdf</a><br><br>ILCD Handbook: <a href="https://eplca.jrc.ec.europa.eu/uploads/ILCD-Handbook-LCIA-Background-analysis-online-12March2010.pdf">https://eplca.jrc.ec.europa.eu/uploads/ILCD-Handbook-LCIA-Background-analysis-online-12March2010.pdf</a> |

|                                                                                                                                  |                                                                               |       |                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------|
|  <b>epd-norway</b><br>Global Program Operator | <b>Program Operator</b>                                                       | Phone | +47 23 08 80 00                                                         |
|                                                                                                                                  | EPD Norway<br>Majorstuen P.O. Box 5250, N-0303 Oslo<br>Norway                 | Email | post@epd-norge.no                                                       |
|  <b>epd-norway</b><br>Global Program Operator | <b>Publisher</b>                                                              | Web   | www.epd-norge.no                                                        |
|                                                                                                                                  | The Norwegian EPD Foundation<br>Post Box 5250 Majorstuen, 0303 Oslo<br>Norway | Phone | +47 23 08 80 00                                                         |
|                                               | <b>Owner of the declaration</b>                                               | Email | post@epd-norge.no                                                       |
|                                                                                                                                  | Secil Betão, S.A. - Queluz<br>Estrada do Cemitério, 2745 Queluz<br>Portugal   | Web   | www.epd-norge.no                                                        |
|                                               | <b>Author of the life cycle assesment</b>                                     | Phone | +351217927100                                                           |
|                                                                                                                                  | Secil Betão, S.A. - Queluz<br>Estrada do Cemitério, 2745 Queluz<br>Portugal   | Email | daniela.faisca@secil.pt                                                 |
|                                               | ECO Platform<br>ECO Portal                                                    | Web   | <a href="https://www.secil.pt/pt/Home">https://www.secil.pt/pt/Home</a> |
|                                                                                                                                  |                                                                               | Web   | <a href="http://www.eco-platform.org">www.eco-platform.org</a>          |
|  <b>EMIDAT</b>                                | <b>Developer of EPD generator</b>                                             | Web   | <a href="http://ECO Portal">ECO Portal</a>                              |
|                                                                                                                                  | Emidat GmbH<br>Sandstraße 33, 80335 München<br>Germany                        | Phone | +49 176 56 96 77 91                                                     |
|                                                                                                                                  |                                                                               | Email | epd@emidat.com                                                          |
|                                                                                                                                  |                                                                               | Web   | www.emidat.com                                                          |